



MATERIAL SAFETY DATA SHEET
U.S. Department of Labor
Occupational Safety & Health Administration

POLAJOINT – PART A

SECTION 1 - IDENTIFIERS

MANUFACTURER: Andek Corporation
ADDRESS: 850 Glen Avenue, Moorestown, NJ 08057
TELEPHONE: (856) 786-6900 or emergency (800) 424-9300 (CHEMTREC)
TRADE NAME: Polajoint - Part A
CHEMICAL FAMILY: Reaction Products of Epichlorhydrin & Bisphenol 'A' Modified with Isocyanate Prepolymer

SECTION 2 – HAZARD IDENTIFICATION & EMERGENCY OVERVIEW

Emergency Overview: Irritating to eyes and skin. May cause sensitization by skin contact. May be toxic to fish. Not biodegradable; potential to bioaccumulate.

Effects of Overexposure:

SKIN: Prolonged or repeated contact may cause skin irritation and/or result in skin sensitization or other allergic response. Slightly toxic by skin absorption.

EYES: Irritation and redness from direct eye contact

BREATHING: High temperatures may yield irritating fumes. May cause respiratory tract irritation with symptoms of coughing, sore throat, and shortness of breath.

SWALLOWING: Low acute oral toxicity (LD50 greater than 2,000 Mg/kg for rats). Symptoms of ingestion may include abdominal pain, nausea, vomiting, and diarrhea.

SECTION 3 - COMPOSITION

COMPONENT	CAS #	APPROX %	TLV
Barium Sulfate	7727-43-7	47.4	
Carbon Black	1338-86-4	0.6	
Epoxy Resin	25068-38-6	34.8	
Blocked Isocyanate Prepolymer Solution	(ITASCA FILE)	17.2	

KNOWN CARCINOGENS OR MUTAGENS - TYPE & DEFINITION – None known

SECTION 4 – FIRST AID MEASURES

SKIN: Wash thoroughly with soap and water. If clothing or shoes become contaminated, launder clothes and clean shoes before reuse.

EYES: Irrigate with water for 15 minutes and seek medical attention.

BREATHING: Move victim to fresh air. If effects occur, consult medical personnel. If breathing is difficult, give oxygen.

SWALLOWING: If ingested, do NOT induce vomiting unless directed to by medical personnel. Get medical attention.

SECTION 5 – FIRE & EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED) : 485°F (Pensky Martens Closed Cup)

FLAMMABLE LIMITS: N/A

EXTINGUISHING MEDIA: CO₂, dry chemical, foam, water spray for large fires

SPECIAL FIRE FIGHTING PROCEDURES: Standard

UNUSUAL FIRE & EXPLOSION HAZARDS: None

DECOMPOSITION PRODUCTS: Thermal decomposition yields oxides of carbon and nitrogen.

SECTION 6 – SPILL OR LEAK PROCEDURES

Contain spill with absorbent material. If necessary, soak contaminated area with a 5% acetic acid and wash with water. Clean up area may be slippery; if so, spread sand or grit.

SECTION 7 – HANDLING & STORAGE

Store in a dry area away from heat. Keep container sealed until ready for use.

SECTION 8 – PERSONAL PROTECTION/EXPOSURE CONTROLS

RESPIRATORY PROTECTION (SPECIFY TYPE): None required under normal conditions of work.

EYE PROTECTION: Safety glasses with side shields.

SKIN PROTECTION: Rubber or polyethylene gloves, permeation-resistant clothing.

OTHER PROTECTIVE EQUIPMENT: Adequate clothing to prevent direct contact to skin.

PERSONAL HYGIENE: Wash thoroughly after use.

SECTION 9 - PHYSICAL DATA

BOILING POINT (F)	Decomposes	SPECIFIC GRAVITY (H2O=1)	1.3
VAPOR PRESSURE	N/A	PERCENT, VOLATILE BY VOLUME	None
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (N.B.A.=1)	None
SOLUBILITY IN WATER	Insoluble	pH (5% slurry)	7.5

APPEARANCE & ODOR - Gray paste with slight epoxide odor.

SECTION 10 – REACTIVITY DATA

STABILITY: Stable.

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid strong bases.

HAZARDOUS DECOMPOSITION PRODUCTS: None under normal conditions. Fire and high heat may yield CO, CO₂, and NOX.

HAZARDOUS POLYMERIZATION: May occur at temperatures above 248°F

CONDITIONS TO AVOID: Avoid excessive heating over a long period of time. When large quantities are mixed, high exotherm may result. Avoid mixing with water.

SECTION 11 – TOXICOLOGICAL INFORMATION

See reference data for individual components.

SECTION 12 – ECOLOGICAL INFORMATION

See reference data for individual components.

SECTION 13 – DISPOSAL CONSIDERATIONS

In accordance with local, state and federal environmental regulations in approved metal containers.

SECTION 14 – TRANSPORT INFORMATION

PROPER SHIPPING NAME: Paint

HAZARD CLASS: None

PACKING GROUP: N/A

ID#: N/A

RQ: N/A

TRANSPORT LABELS REQUIRED: This material is not regulated by the D.O.T.

SECTION 15 – REGULATORY INFORMATION

See reference data for individual components.

SECTION 16 – OTHER INFORMATION (HMIS RATING)

Health	1
Flammability	1
Physical Hazard	0
Personal Protection	H

This information accumulated herein is believed to be accurate but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances. Andek Corporation assumes no legal responsibility for use of or reliance upon the information contained in this MSDS.

DATE ISSUED: OCTOBER 2007